

2.6MF4-7B1

# MicroFridge 2.6 cu. ft. Combination Unit in Black



## New 1st Defense Smoke Sensor™

Our patented internal smoke sensor



## New USB Charging Station

Next generation charging stations offers



## Safe Plug™ Technology

Provides protection against circuit



inside of the microwave automatically shuts off operation and alerts user of smoke before any damage is done.

two USB ports and one traditional outlet to conveniently charge small electronic devices.

overloads for user safety and convenience. Blue plug on refrigerator plugs into back of microwave for energy efficient one-plug to the wall operation.

# 2.6MF4-7B1

MicroFridge 2.6 cu. ft. Combination Unit in Black



## Refrigerator Specifications

### Electrical Requirements

Annual Power Consumption	228
Voltage	115V
Start-up Amps	7.3A
Operating Amps	0.95A

### Exterior Dimensions

Height	26 5/8" (67.63 cm)
Width	17 11/16" (44.93 cm)
Depth	20 1/16" (50.96 cm)
Product Weight	46.34lbs (21.02 kg)

### Interior Dimensions

Total Volume	26.625 cu. ft
--------------	---------------

### Refrigerator Features

- 2.6 cu. ft. (72.98 liters) capacity all refrigerator
- Annual energy consumption 228 kWh
- Manual Cycle defrost
- CanStor® beverage dispense
- 2 full and 1 half shelves for maximum storage versatility
- White interior
- Reversible door hinge

## Microwave Oven Specifications

### Electrical Requirements

Power	120V
Power output, defrost	280 watts
Power output, cook	700 watts
Power output, cook	700 watts
Start-up Amps	10.9A
Total amps for plugs(front/rear)	4/9A

### Exterior Dimensions

Height	11 7/16" (29.05 cm)
Width	18 1/8" (46.04 cm)
Depth without Handles	14 1/8" (35.88 cm)
Product Weight	25.4lbs (11.52 kg)

### Interior Dimensions

Oven capacity	26.625 cu. ft
---------------	---------------

### Microwave Features

- 0.7 cu. ft. (20 liters) capacity
- 700 watts of cooking power
- Internal smoke sensor
- USB charging station with 4 amps max for the 2 USB ports and one charging station
- Express cook settings and Programmed cooking options
- Removable 10 11/16" (27.1cm) glass carousel
- 72" (6ft / 1.82 meter) Power Cord

## Combination Unit Specifications

### Electrical Requirements

120 Volt, 60Hz, 15 amp electrical supply

### Combination Unit Dimensions

Height	38 1/16" (96.68 cm)
Width	18 1/8" (46.04 cm)
Depth	20 1/16" (50.96 cm)
Weight	71.4 lbs (32.39 kg)

### Minimum Clearances

1" (2.54 cm) on each side, 2" (5.1 cm) in back,  
1" (2.54 cm) on top

### Warranty Information

Strongest 7-Year Industry Warranty on site service

### Color Options

Available in classic black



Meets Tier 3 specifications.

Intirion Corporation, 2 Annette Road, Suite 3  
Foxboro MA, 02035

www.microfridge.com | P 800.637.7567 | F 800.231.2182

"MicroFridge" and the MicroFridge logo and "Safe Plug" and the Safe Plug Logo, "1st Defense Smoke Sensor" and 1st Defense Smoke Sensor logo are registered trademarks of Intirion Corporation.

© Intirion Corporation 2025

Specifications are subject to change. Please contact your sales representative for further details.