

3.1MF7-7B1WX

MicroFridge 3.1 cu. ft. Combination Unit in White



1st DEFENSE[™]
**SMOKE
SENSOR**

New 1st Defense
Smoke Sensor [™]

Our patented internal smoke sensor



New USB Charging
Station

Next generation charging stations offers



Safe Plug [™]
Technology

This plug prevents circuit overloads for



inside of the microwave automatically shuts off operation and alerts user of smoke before any damage is done.

two USB ports and one traditional outlet to conveniently charge small electronic devices

safety. The blue plug on the fridge connects to the microwave for efficient one-plug use.

3.1MF7-7B1WX

MicroFridge 3.1 cu. ft. Combination Unit in White



Refrigerator Specifications

Electrical Requirements

Annual Power Consumption	195kWh/y
Voltage	115V
Start-up Amps	4.5A
Operating Amps	1.3A

Exterior Dimensions

Height	34 1/8" (86.69 cm)
Width	18 11/16" (47.47 cm)
Depth	19 1/2" (49.53 cm)
Product Weight	52.91lbs (24 kg)
Shipping Weight	57.32lbs (26 kg)

Interior Dimensions

Total Volume	34.13 cu. ft
--------------	--------------

Refrigerator Features

- 3.1 cu. ft. capacity refrigerator
- 1 full-width wire shelf, 2 ¾ -width door shelves
- CanStor® beverage dispenser
- Manual defrost
- Environmentally friendly R600a refrigerant
- Energy Star ME Rating
- Cord management hinge clip system
- Reversible door hinge
- Annual energy consumption 195 kWh
- 5.25 ft (1.60 meters) cord
- Available in classic black, classic

Microwave Oven Specifications

Electrical Requirements

Power	120V
Power output, defrost	280 watts
Power output, cook	700 watts
Power output, cook	700 watts
Start-up Amps	10.9A
Total amps for plugs(front/rear)	4/9A

Exterior Dimensions

Height	11 7/16" (29.06 cm)
Width	18 1/8" (46.05 cm)
Depth without Handles	14 1/8" (35.88 cm)
Product Weight	25.35lbs (11.5 kg)
Shipping Weight	27.43lbs (12.44 kg)

Interior Dimensions

Oven capacity	34.13 cu. ft
---------------	--------------

Microwave Features

- Fast charge.
- Sound on/off
- Smart rotary reset
- Internal smoke sensor
- USB charging station with 4 amps max for the 2 USB ports and one charging station
- Easy-grip pull door
- Express cook settings
- Programmed cooking options
- LED display and clock
- Signal beeper with adjustable volume
- Removable 10 11/16" (27.1cm) glass carousel
- 72" (6ft / 1.82 meter) Power Cord

Combination Unit Specifications

Electrical Requirements

120 Volt, 60Hz, 15 amp electrical supply

Combination Unit Dimensions

Height	45 9/16" (115.72 cm)
Width	18 11/16" (47.47 cm)
Depth	19 1/2" (49.53 cm)
Weight	78.26 lbs (35.5 kg)

Minimum Clearances

1" (2.54 cm) on each side, 2" (5.1 cm) in back,
1" (2.54 cm) on top

Warranty Information

Strongest 7-Year Industry Warranty on site service

Color Options

Available in classic black



Meets Tier 3 specifications.

Intirion Corporation, 2 Annette Road, Suite 3
Foxboro MA, 02035

www.microfridge.com | P 800.637.7567 | F 800.231.2182

"MicroFridge" and the MicroFridge logo and "Safe Plug" and the Safe Plug Logo, "1st Defense Smoke Sensor" and 1st Defense Smoke Sensor logo are registered trademarks of Intirion Corporation.

© Intirion Corporation 2025

Specifications are subject to change. Please contact your sales representative for further details.